

UNIFIED COMMUNICATIONS**BİLGİLER****Hepsi bir arada Video Konferans Barı**

12 MP kamera, 6 dizi mikrofon ve 8 W hoparlör ile donatılmış tek bir işbirliği çözümüyle toplantılarınızı basitleştirin. Akıllı yüz algılama, otomatik izleme ve ses yerelleştirme, yakınlaştırma/uzaklaştırma ve 3 adede kadar kamera konumu ön ayarının tümü uzaktan kumanda kullanılarak kontrol edilirken sorunsuz toplantı deneyimleri sağlar.



Auto-framing

With intelligent face detection and voice localization, the camera tracks whoever is speaking and smoothly switches between presenters automatically adjusting to best fit participant location and quantity. It not only recognizes and zooms in on meeting participants, but also tracks speakers as they move about the room.



Camera position presets

Three predefined camera presets combined with 5x digital zoom allow for instant meeting start up. Just point the camera to your preferred focal point, save it and select between the saved options with one button when needed.



Studio-quality sound

6-element Microphone & 8W Speakerphone featuring Adaptive echo canceller, Automatic tracking, Noise reduction, Automatic gain control & Dereverberation deliver crisp, high quality sound free from any background noise or distortion.

ÖZELLİKLER

01 KAMERA

Piksel	12M
Supported resolutions	2160p/30fps, 1440p/30fps, 1080p/30fps
Çapraz görüş alanı (dFoV)	120°
Odak modu	fixed
Odak mesafesi	2m
Zoom	5x digital zoom
Kamera konumu ön ayarı sayısı	3

02 SES

Mikrofon dizisi sayısı	6
Ses alma mesafesi	8m
Hoparlör	1 x 8W

03 BAĞLANTI

Ses Giriş/Çıkışı x1

04 ÖLÇÜLER / AĞIRLIK

Ürün boyutları G x Y x D	462 x 76 x 93mm
Kutu boyutları G x Y x D	538 x 160 x 169mm
Ağırlık (kutu hariç)	1kg
Ağırlık (kutu ile birlikte)	2.3kg
EAN kodu	4948570032983

05 İLGİLİ BİLGİ

İlgili ürünler [UC CAM120UL-1](#), [UC CAM180UM-1](#), [UC CAM80UM-1](#), [UC CAM75FS-1](#), [UC SPK01M](#), [UC SPK01L](#)



All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects. © Iiyama Corporation. ALL RIGHTS RESERVED