

**UNIFIED COMMUNICATIONS****BİLGİLER****Otomatik izleme teknolojisine  
sahip 4K panoramik kamera**


180° görüş alanıyla 13 mega piksel UC CAM180UM, önemli olan her şeyin kamerada kalmasını sağlar. Önceden tanımlanmış altı video düzenine tek bir düğmeyle parmaklarınızın ucunda kolayca erişilebilir ve entegre 2 mikrofon dizisi sesi 4 metreye kadar uzaktan algılar.

Otomatik izleme teknolojisi yalnızca toplantı katılımcılarını tanıyıp yakınlaştırmaz, aynı zamanda konuşmacıları odada hareket ederken takip eder. Zoom, Skype, Microsoft Teams ve diğerleri gibi tüm önde gelen konferans yazılımlarıyla uyumludur.



### 180° field of view

The field of view means the observable area one can see through the camera lens. It translates directly to how much of your meeting space will be visible to the participants joining remotely. A 180-degree FoV makes everybody at the table clearly visible, even those close to the camera or seated at the edges of the room.



### Six predefined video layouts

Simply tap the top of the camera to switch between the different layout options. From one-way lecturing to multi-party brainstorming, this camera can cover it all.



### Auto-framing

With intelligent face detection and voice localization, the camera tracks whoever is speaking and smoothly switches between presenters automatically adjusting to best fit participant location and quantity. It not only recognizes and zooms in on meeting participants, but also tracks speakers as they move about the room.



## ÖZELLİKLER

### 01 KAMERA

Piksel	12M
Supported resolutions	2160p/24fps, 1440p/30fps, 1080p/30fps
Çapraz görüş alanı (dFoV)	180°
Odak modu	fixed
Odak mesafesi	1.5m
Diyafram	2.2

### 02 SES

Mikrofon dizisi sayısı	2
Ses alma mesafesi	4m
Ses alma açısı	180°

### 03 ÖLÇÜLER / AĞIRLIK

Ürün boyutları G x Y x D	144 x 73 x 26mm
Kutu boyutları G x Y x D	175 x 175 x 44mm
Ağırlık (kutu hariç)	0.2kg
Ağırlık (kutu ile birlikte)	0.5kg
EAN kodu	4948570033027

### 04 İLGİLİ BİLGİ

İlgili ürünler [UC CAM120ULB-1](#), [UC CAM120UL-1](#), [UC CAM80UM-1](#), [UC CAM75FS-1](#), [UC SPK01M](#), [UC SPK01L](#)



All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects. © IYAMA CORPORATION. ALL RIGHTS RESERVED